

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|---------|--|---|------------------|---------|------------------|
| L1 | 5998 | glow near plug | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 12:49 |
| L2 | 68590 | corrosion near resistant | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 12:49 |
| L3 | 9164 | surface near hardened | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 12:49 |
| L4 | 128 | diffusion near treatment and nitriding | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 12:50 |
| L5 | 2171682 | coil or wire | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 12:50 |
| L6 | 17 | 3 near 5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 12:50 |
| L7 | 2 | 2 and 6 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 12:50 |
| L8 | 2 | 1 and 7 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 12:52 |
| L9 | 116 | 1 and 2 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 12:52 |
| L10 | 4 | 9 and 3 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 12:54 |

| | | | | | | |
|-----|---|---------------|---|----|----|------------------|
| L11 | 4 | 1 and 3 and 5 | US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB | OR | ON | 2005/10/25 12:54 |
|-----|---|---------------|---|----|----|------------------|

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|--|------------------|---------|------------------|
| L1 | 24 | electric coil with:(nitrid\$3 or diffus\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2005/10/25 17:02 |
| L2 | 3 | 1 and plug | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2005/10/25 16:48 |
| L3 | 10 | electric coil with nitrid\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2005/10/25 16:53 |
| L4 | 0 | electric coil same nitrid\$3 surface | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2005/10/25 16:56 |
| L5 | 0 | electric coil same nitrid\$3 near3 surface | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2005/10/25 16:51 |
| L6 | 2 | electric coil same nitrid\$3 with surface | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2005/10/25 16:51 |
| L7 | 2 | electric wire same nitrid\$3 surface | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2005/10/25 17:02 |
| L8 | 81 | coil same nitrid\$3 surface | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2005/10/25 16:55 |

| | | | | | | |
|-----|---|---------------------------------------|---|------|----|------------------|
| L9 | 9 | heat\$3 coil same nitrid\$3 surface | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2005/10/25 17:01 |
| L10 | 0 | resist\$4 coil with nitrid\$3 surface | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2005/10/25 17:01 |
| L11 | 0 | electric coil with diffus\$3 surface | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | NEAR | ON | 2005/10/25 17:02 |
| L12 | 3 | ("2565360")URPN | USPAT | OR | ON | 2005/10/25 17:06 |
| L13 | 1 | 8 and plug | USPAT | OR | ON | 2005/10/25 17:07 |